


HYDRONIC HEATING, REFINED

HAMILTON COLUMN

Vertical | White

Steel column radiator



Classic warmth for every room

Vertical steel column radiators in a white finish.

Two and three column options.



MILD STEEL

WHITE

VERTICAL

5 YEAR GUARANTEE

Heat output by size

Hamilton product codes | central heating outputs from Reina datasheets

Product code	Columns	H (mm)	W (mm)	Sections	W DT50	BTU DT50	W DT60
400866	2	1500	425	9	946	3226	1211
400867	2	1500	515	11	1155	3941	1478
400868	2	1800	245	5	620	2113	794
400869	2	1800	335	7	867	2958	1110
400870	2	1800	425	9	1116	3806	1428
400871	2	1800	515	11	1364	4652	1746
400872	2	1800	560	12	1488	5074	1905
400878	3	1500	425	9	1277	4353	1635
400879	3	1500	515	11	1560	5320	1997
400880	3	1800	245	5	843	2875	1079

DT50 / DT60 = temperature difference in degrees C. Heat outputs in watts / BTU/h.

HAMILTON ENERGI | RADIATORS / UNDERFLOOR / RENEWABLES

hamiltonenergi.com

Heat output by size

Product code	Columns	H (mm)	W (mm)	Sections	W DT50	BTU DT50	W DT60
400881	3	1800	335	7	1180	4025	1510
400882	3	1800	425	9	1518	5176	1943
400883	3	1800	515	11	1855	6326	2374
400884	3	1800	560	12	2023	6901	2589

DT50 / DT60 = temperature difference in degrees C. Heat outputs in watts / BTU/h.

Dimensions & technical specification

Material	Finish	Guarantee	Application
Mild steel	White	5 years	Heating systems

Product code	Columns	Pipe ctr mm	Wall-pipe mm	Wall dist mm	Weight kg	Fuel
400866	2	425	68	92	24.79	C
400867	2	515	68	92	29.57	C
400868	2	245	68	92	17.81	C
400869	2	335	68	92	23.50	C
400870	2	425	68	92	29.26	C
400871	2	515	68	92	35.00	C
400872	2	560	68	92	37.86	C
400878	3	425	68	118	35.26	C
400879	3	515	68	118	42.35	C
400880	3	245	68	118	25.02	C
400881	3	335	68	118	33.31	C
400882	3	425	68	118	41.76	C
400883	3	515	68	118	50.24	C
400884	3	560	68	118	54.46	C

For pipe centres including valves, add 90 mm.

C: central heating / E: electric / D: dual fuel. Fuel options are model dependent.

Hamilton Energi Ltd | 11 Bolton Road, Reading, RG2 0NL