

HYDRONIC HEATING, REFINED

LUNO SINGLE

Steel hydronic towel rail

Four finishes. A refined bathroom essential.



Warmth for modern bathrooms

Single ladder construction with a choice of heights and widths.

Chrome, White, Textured Anthracite and Matt Black finishes.



HYDRONIC

SINGLE RAIL

4 FINISHES

85 mm DEPTH

Technical specification

PRODUCT DETAIL	SPECIFICATION
Construction	Single steel ladder towel rail
Fuel type	Hydronic / central heating
Heights - Chrome	800, 1200, 1400, 1600 and 1800 mm
Heights - Painted finishes	800, 1200, 1500 and 1800 mm
Widths	400, 500 and 600 mm; 750 mm in Chrome 1800
Depth	85 mm
Output range - Chrome	207-824 W 706-2,811 BTU/h
Output range - Painted finishes	316-1,021 W 1,078-3,484 BTU/h

Heat outputs and dimensions are reproduced from the supplied product schedule.

Chrome product range

16 models | 800-1800 mm heights | 400-750 mm widths

Code	Size H x W (mm)	Depth (mm)	Weight (kg)	Pipe centres (mm)	Watts	BTU/h
110826	800 x 400	85	5.293	355	207	706
110827	800 x 500	85	6.227	455	253	863
110828	800 x 600	85	7.012	555	298	1017
110829	1200 x 400	85	7.156	355	308	1051
110830	1200 x 500	85	8.361	455	375	1280
110831	1200 x 600	85	9.567	550	442	1508
110832	1400 x 400	85	8.487	355	361	1232
110833	1400 x 500	85	10.028	455	439	1498
110834	1400 x 600	85	11.319	555	517	1764
110835	1600 x 400	85	9.569	355	415	1416
110836	1600 x 500	85	10.895	455	505	1723
110837	1600 x 600	85	12.822	555	594	2027
110838	1800 x 400	85	10.85	355	472	1610
110839	1800 x 500	85	12.862	455	572	1952
110840	1800 x 600	85	14.724	555	673	2296
110841	1800 x 750	85	17.767	705	824	2811

Pipe centres are reproduced as supplied, including 550 mm for code 110831.

ORDERING INFORMATION

orders@hamiltonenergi.com | 07974 449427 | hamiltonenergi.com

Specifications are subject to change as part of continuous product development.

Painted product range

White

Code	Size H x W (mm)	Depth (mm)	Weight (kg)	Pipe centres (mm)	Watts	BTU/h
110854	800 x 400	85	5.393	355	316	1078
110855	800 x 500	85	6.727	455	383	1307
110856	800 x 600	85	7.512	555	451	1539
110857	1200 x 400	85	7.756	355	471	1607
110858	1200 x 500	85	9.411	455	572	1952
110859	1200 x 600	85	9.367	555	673	2296
110860	1500 x 400	85	9.853	355	592	2020
110861	1500 x 500	85	10.737	455	718	2450
110862	1500 x 600	85	12.32	555	845	2883
110863	1800 x 400	85	11.55	355	716	2443
110864	1800 x 500	85	14.012	455	869	2965
110865	1800 x 600	85	15.874	555	1021	3484

Textured Anthracite

Code	Size H x W (mm)	Depth (mm)	Weight (kg)	Pipe centres (mm)	Watts	BTU/h
110866	800 x 400	85	4.943	355	316	1078
110867	800 x 500	85	6.377	455	383	1307
110868	800 x 600	85	6.962	555	451	1539
110869	1200 x 400	85	7.056	355	471	1607
110870	1200 x 500	85	8.311	455	572	1952
110871	1200 x 600	85	9.967	555	673	2296
110872	1500 x 400	85	9.803	355	592	2020
110873	1500 x 500	85	11.287	455	718	2450
110874	1500 x 600	85	12.87	555	845	2883
110875	1800 x 400	85	10.7	355	716	2443
110876	1800 x 500	85	12.612	455	869	2965
110877	1800 x 600	85	14.524	555	1021	3484

Outputs match across painted finishes for the same size. Weights vary by finish.

Matt Black product range

12 models | 800, 1200, 1500 and 1800 mm heights

Code	Size H x W (mm)	Depth (mm)	Weight (kg)	Pipe centres (mm)	Watts	BTU/h
110878	800 x 400	85	5.093	355	316	1078
110879	800 x 500	85	6.077	455	383	1307
110880	800 x 600	85	6.762	555	451	1539
110881	1200 x 400	85	7.756	355	471	1607
110882	1200 x 500	85	8.361	455	572	1952
110883	1200 x 600	85	9.317	555	673	2296
110884	1500 x 400	85	9.803	355	592	2020
110885	1500 x 500	85	11.287	455	718	2450
110886	1500 x 600	85	12.87	555	845	2883
110887	1800 x 400	85	10.85	355	716	2443
110888	1800 x 500	85	12.662	455	869	2965
110889	1800 x 600	85	14.474	555	1021	3484

Product information

All dimensions are in millimetres; weights are in kilograms.

Pipe centres and heat outputs are listed for each individual product.

Chrome outputs differ from painted finishes at the same nominal size.

Select valves to suit the installation and confirm connections before ordering.

ORDERING INFORMATION

orders@hamiltonenergi.com | 07974 449427 | hamiltonenergi.com

Specifications are subject to change as part of continuous product development.